

ASANSOL DURGAPUR DEVELOPMENT AUTHORITY

(A Statutory Authority of the Government of West Bengal)

Durgapur Office :

1st Administrative Building, City Centre
Durgapur - 713216,
Ph. No. (0343) 2546716, 2546815
Fax No. : (0343) 2545793
e-mail : adda.dgpr@gmail.com
ceoadda.ud@gmail.com

Website : www.addaonline.in

Asansol Office :

Vivekananda Sarani (Senraleigh Road)
Near Kalyanpur Housing More, Asansol - 713305
Ph. No. (0341) 2257377
Fax No. (0341) 2257379
e-mail : adda.asl@gmail.com
ceoadda.ud@gmail.com

Ref. No. ADDA / DGP.

Date :

Notice Inviting Tender (N.I.T.) No.: ADDA/DGP/ED/N-74/18-19
(Sealed Item Rate Tender)

Executive Engineer, ADDA, Durgapur invites **Sealed Item Rate Tender** for the work noted below under TWO COVER BID SYSTEM in Authority's contract form from reputed and resourceful licence holder contractors who have executed similar type of works (i) worth 40% of the quoted amount put to tender in a single contract or (ii) 2 (two) similar nature of completed work, each of the minimum value of 30% of the quoted amount put to tender or (iii) one single running work of similar nature which has been completed to the extent of 80% or more and value of which is not less than the desired value as mentioned (i) above during 5 (five) years prior to the date of issue of the tender notice in any Govt./Semi Govt./Undertakings/Autonomous Body/Statutory Body (except joint venture firm / consortium). In case of running works, only those tenderers who will submit the certificate of satisfactory running work from the concerned Exe. Engg. or equivalent competent authority will be eligible for tender. In the required certificate it should be clearly stated that the work is in progress satisfactorily and also that no penal action has been initiated against the executing agency, i.e. the tenderer. The tender should be submitted in two parts in two different sealed covers marked as "Technical Bid" and "Financial Bid". Those two bids shall be put together in a separate sealed cover duly super scribing the name of work and shall have the address of the bidder. Completed tenders will be received in the tender box at the chamber of Executive Engineer, ADDA at Durgapur office. Tender may be sent through registered post with A/D. only but Authority will not be responsible for postal delay. Detail information can be had from ADDA, Durgapur Office during office hours. For this N.I.T. visit our website www.addaonline.in

Sl.No	Name of work	Initial Earnest Money (in Rs.)
1.	<p>Supply of sitting portion of Full Back Chair as per specification at Conference Hall, ADDA, Durgapur.</p> <p>a) Chair Godrej Avid Full Back With Head Rest:</p> <p>Supply and placement of Godrej make as per design approve as per order Chair 1. SEAT ASSEMBLY: The seat is made up of 1.4 ± 0.1 cm thick hot – pressed plywood, moulded polyurethane foam and upholstered with fabric. SEAT SIZE: 50.0cm (W)x 49.0cm(D). 2. BACK ASSEMBLY: The two part assembly upholstered with Mesh fabric is made up of back outer injection moulded in glass filled Polyamide and back inner injection moulded in glass filled Polypropylene. The back consists of adjustable Lumbar support made of injection moulded Polyoxymethylene (POM) which is upholstered with foam and fabric having an adjustment of 5.5 ± 0.5 cm. BACK SIZE: 48.0 CM(W) x 54.5 CM(H) 3. POLYURETHANE FOAM: The polyurethane foam for seat is of density = 55 ± 3 kg/m³ 4. FOUR-WAY ADJUSTABLE ARMREST: It is made of glass filled Polyamide arm structure with PU arm top and height adjustment of 9.0 ± 0.5cm. The arm top has swivel, side-to-side and to-fro movements. 5. MECHANISM: The mechanism is designed with the following features:• 360° revolving type • Auto-balance synchro-tilt • 4 position (including upright lock) giving option of variable tilt angle to the chair. 6. SEAT DEPTH ADJUSTMENT: Seat depth adjustment is integrated in the seat through a sliding mechanism. Seat depth adjustment range is 4.5±0.5cm. 7. HEADREST (FUZ102HDRESTXW01): The Headrest is made up of injection moulded in glass filled Polyamide, foam and upholstered with fabric. Its has an adjustment of 5.0 ± 0.5cm & it can be retrofit to AVID chair back. 8. PNEUMATIC HEIGHT ADJUSTMENT: The CLASS-4 pneumatic height adjustment has stroke of 9.5 ± 0.5cm. 9. PDESTAL ASSEMBLY: The pedestal is injection moulded in glass filled Polyamide and fitted with 5 nos. twin wheel castors. The pedestal is 67.0 ± 0.5cm P.C.D. 10. TWIN WHEEL CASTORS: The twin wheel castors are injection moulded in Polyamide having 6.0±0.1cm wheel Diameter. Manufacturer must have following certifications for eligibility in this tender 1. SEFA Certification (For Last 5 Consecutive Years) 2. AIOTA Certification 3. Greenguard Certification 4. Greenguard -VOC Certification. The bidder shall quote Laboratory furniture only that is tested as per SEFA-8M and SEFA 10 Standard from the SEFA approved Lab . Testing of Lab furniture: Welded Cabinets should be tested for SEFA 8M & adaptable workbenches should be tested for SEFA 10 from a SEFA approved Lab for the tests whose details are mentioned in this tender document and should be listed in SEFA's website. The Bidder to ensure that the supplies are made out of the approved & tested standards of the SEFA 8M & SEFA-10.</p> <p>b) Chair Godrej Avid Full Back:</p> <p>Supply and placement of Godrej make as per design approve as per order Chair 1. SEAT ASSEMBLY: The seat is made up of 1.4 ± 0.1 cm thick hot – pressed plywood, moulded polyurethane foam and upholstered with fabric. SEAT SIZE: 50.0cm (W)x 49.0cm(D). 2. BACK ASSEMBLY: The two part assembly upholstered with Mesh fabric is made up of back outer injection moulded in glass filled Polyamide and back inner injection moulded in glass filled Polypropylene. The back consists of adjustable Lumbar support made of injection moulded Polyoxymethylene (POM) which is upholstered with foam and fabric having an adjustment of 5.5 ± 0.5 cm. BACK SIZE: 48.0 CM(W) x 54.5 CM(H) 3. POLYURETHANE FOAM: The polyurethane foam for seat is of density = 55 ± 3 kg/m³ 4. FOUR-WAY ADJUSTABLE ARMREST: It is made of glass filled Polyamide arm structure with PU arm top and height adjustment of 9.0 ± 0.5cm. The arm top has swivel, side-to-side and to-fro movements. 5. MECHANISM: The mechanism is designed with the following features:• 360° revolving type • Auto-balance synchro-tilt • 4 position (including upright lock) giving option of variable tilt angle to the chair. 6. SEAT DEPTH ADJUSTMENT: Seat depth</p>	2% of Quoted amount.

ASANSOL DURGAPUR DEVELOPMENT AUTHORITY

(A Statutory Authority of the Government of West Bengal)

Durgapur Office :

1st Administrative Building, City Centre
Durgapur - 713216,
Ph. No. (0343) 2546716, 2546815
Fax No. : (0343) 2545793
e-mail : adda.dgpr@gmail.com
ceoadda.ud@gmail.com

Website : www.addaonline.in

Asansol Office :

Vivekananda Sarani (Senraleigh Road)
Near Kalyanpur Housing More, Asansol - 713305
Ph. No. (0341) 2257377
Fax No. (0341) 2257379
e-mail : adda.asl@gmail.com
ceoadda.ud@gmail.com

Ref. No. ADDA / DGP.

Date :

	<p>adjustment is integrated in the seat through a sliding mechanism. Seat depth adjustment range is 4.5±0.5cm. 8. PNEUMATIC HEIGHT ADJUSTMENT: The CLASS-4 pneumatic height adjustment has stroke of 9.5 ± 0.5cm. 9. PEDESTAL ASSEMBLY: The pedestal is injection moulded in glass filled Polyamide and fitted with 5 nos. twin wheel castors. The pedestal is 67.0 ±0.5cm P.C.D. 10. TWIN WHEEL CASTORS: The twin wheel castors are injection moulded in Polyamide having 6.0±0.1cm wheel Diameter. Manufacturer must have following certifications for eligibility in this tender 1. SEFA Certification (For Last 5 Consecutive Years) 2. AIOTA Certification 3. Greenguard Certification 4. Greenguard -VOC Certification. The bidder shall quote Laboratory furniture only that is tested as per SEFA-8M and SEFA 10 Standard from the SEFA approved Lab . Testing of Lab furniture: Welded Cabinets should be tested for SEFA 8M & adaptable workbenches should be tested for SEFA 10 from a SEFA approved Lab for the tests whose details are mentioned in this tender document and should be listed in SEFA's website. The Bidder to ensure that the supplies are made out of the approved & tested standards of the SEFA 8M & SEFA-10.</p>	
2.	<p>Supply of sitting portion of Visitor type Chair as per specification at Conference Hall, ADDA, Durgapur.</p> <p>a) Chair Godrej Aveo Visitor.</p> <p>Supply and placement of Godrej make as per design approve as per order Chair SEAT ASSEMBLY:- The Seat is made up of 1.4+ - 0.1 cm thick hot - pressed plywood , moulded in glass filled polypropylene foam and upholstered with fabric. Seat Size 48.0cm(W) X 49.0cm(D). BACK ASSEMBLY:- The two part assembly upholstered with mesh fabric is made up of back outer injection moulded in glass filled polypropylene. the back consist of adjustable lumber support having an adjustment of 4.0+ 0.5 cm It is made of injection moulded polyoxymethylene (POM) which is upholstered with foam and fabric. Back Size 47.0cm(W) X 53.0cm(D). POLYURETHANE FOAM:- The polyurethane foam for seat is of density = 55+ kgm3 ARMREST:- It is made of glass filled Polyamide arm structure with PVC armtop. SLED BASE RFAME: The Powder coated welded Tubular Frame is made of 3.55+ 0.03 cm X 1.9 + 0.02 cm X 0.19+ 0.02 cm thk M.S. E.R.W oblong tube . The frame is filled with pastic caps made of injection moulded glass filled polypropylene. Manufacturer must have following certifications for eligibility in this tender 1. SEFA Certification (For Last 5 Consecutive Years) 2. AIOTA Certification 3. Greenguard Certification 4. Greenguard -VOC Certification. The bidder shall quote Laboratory furniture only that is tested as per SEFA-8M and SEFA 10 Standard from the SEFA approved Lab . Testing of Lab furniture: Welded Cabinets should be tested for SEFA 8M & adaptable workbenches should be tested for SEFA 10 from a SEFA approved Lab for the tests whose details are mentioned in this tender document and should be listed in SEFA's website. The Bidder to ensure that the supplies are made out of the approved & tested standards of the SEFA 8M & SEFA-10.</p>	2% of Quoted amount.

Technical bid shall contain: Self attested copy of (1) Credentials (Completion certificate) possessed by the firm, date of completion of the work, final work done amount of the work must be indicated in credential certificate. (2) Trade Licence (3) GST registration No. / Certificate, (4) PT Registration certificate, (5) PAN Card, (6) Earnest money, in the form of DD/Pay Order in favour of Asansol Durgapur Development Authority payable at Durgapur.

Financial bid should contain the price bid quoted in Financial Bid document. The rate quoted should include GST and all sorts of taxes, duties, Cess etc.. Technical bid will be opened first and if specific documents are found acceptable as per terms and conditions laid down above, the second part that is financial bid will be opened on the same day or at a later date subject to clarification of any points related to technical bid. As per Govt. of West Bengal order No. HF/BHP/KFW/156/2007/311 dated 17.08.2007 Cess @ 1% of cost of construction will be deducted at source from the bill of the contractor engaged in the work. In case of Registered Labour/Engineers Co-operative society, they should produce a photocopy of resolution of meeting of Board of Director empowering members to be Authorized Signatories of respective Co-Operative Society along with their application with the original resolution for verification. No conditional tenders will be accepted and the Executive Engineer, ADDA reserves the right to reject it without showing any reason. Prospective tenderes should visit the site of work and get themselves fully acquainted with site conditions and accordingly quote their rates.

The schedule of dates :-

1. Last date of application for purchase of Tender papers 06/03/2019 up to 4.00 p.m.
2. Date of purchase of Tender Paper from cash section from 07/03/2019 to 08/03/2019 between 11.00 a.m. to 1.00 p.m.
3. Receipt of sealed tender up to 11.00 a.m. on 11/03/2019.
4. Opening of Technical Bid at 03.30 a.m. on 11/03/2019 and Financial Bid at 4.00 p.m. on the same day or a latter day subject to evaluation of Technical Bid.

The Authority reserves the right either to accept or to reject any or all tender documents without assigning any reasons thereto.

NOTE: In case of any Unscheduled Holiday on the aforesaid dates, the next working date will be treated as scheduled prescribed date for the same purpose.

8/1 =

Executive Engineer
Asansol Durgapur Development Authority

ASANSOL DURGAPUR DEVELOPMENT AUTHORITY

(A Statutory Authority of the Government of West Bengal)

Durgapur Office :

1st Administrative Building, City Centre
Durgapur - 713216,
Ph. No. (0343) 2546716, 2546815
Fax No. : (0343) 2545793
e-mail : adda.dgpr@gmail.com
ceoadda.ud@gmail.com

Website : www.addaonline.in

Asansol Office :

Vivekananda Sarani (Senraleigh Road)
Near Kalyanpur Housing More, Asansol - 713305
Ph. No. (0341) 2257377
Fax No. (0341) 2257379
e-mail : adda.asl@gmail.com
ceoadda.ud@gmail.com

Ref. No. ADDA / DGP.


Date :

Memo No. ADDA/DGP/ED/G-57 (Pt. XXVI)/2017-18/ 572/13

Dated: 27/02/2019

Copy forwarded to:

- (1) The Hon'ble Chairman, ADDA for kind information,
- (2) The Hon'ble Mayor, Durgapur Municipal Corporation, City Centre, Durgapur – 16, for kind information.
- (3) The District Magistrate, Paschim Burdwan, for kind information.
- (4) The Chief Executive Officer, ADDA for kind information.
- (5) The Addl. Chief Engineer, ADDA.
- (6) The Sub-Divisional Magistrate, Durgapur,
- (7) The Assistant Executive Officer (Admn.), ADDA, Dgp.,
- (8) The Executive Engineer, ADDA, Asansol,
- (9) The F.O., ADDA, Durgapur – with a request to be present at the time of Tender opening,
- (10) The Cashier ADDA, Durgapur,
- (11) The Assistant Engineer, ADDA, Durgapur,
- (12) Sub-Assistant Engineer, ADDA, Durgapur.
- (13) The System Manager, ADDA – with a request to upload the matter in the website of ADDA,
- (14) The Notice Board, ADDA, Durgapur.
- (15) The Notice Board, ADDA, Asansol,
- (16) File no: ADDA/DGP/ED/CN-154/18-19
- (17) File no: ADDA/DGP/ED/CN-155/18-19


Executive Engineer
Asansol Durgapur Development Authority